

## AC1014 AIRCOMPRESSOR



Images are for reference only

Typical performance


160

140 120


100

## SPECIFICATIONS

Rated Pressure:	100 kPa (100 mB, 14.5psi)
Rated Airflow:	>0.8 l/min (0.028cfm)
Rated Voltage (s):	100V, 120V, or 230V
Maximum Pressure:	>120kPa (1200mB, 17.1psi)
Rated Frequency:	50Hz or 60Hz
Power Consumption:	14-15 Watts
Duty Cycle:	Continuous
Coil insulation Class:	Class F. Class B for UL (1450) (120V)
Noise Level:	40 dB (A)
Environmental Conditions:	0°C - 40°C & 35% - 85% RH
Mounting Dimensions:	48(L) x 62(W) mm
Unit outside dimensions:	90mm x 58mm x 58mm
Gross Weight:	700grams (1.54lbs)
Lead Wire Length:*	AWG22 (UL1015, 105°C) X 190mm
Outlet:*	6.0mm diameter bard, hose elbow nipple.
Noise Level: Environmental Conditions: Mounting Dimensions: Unit outside dimensions: Gross Weight: Lead Wire Length:*	40 dB (A) 0°C - 40°C & 35% - 85% RH 48(L) x 62(W) mm 90mm x 58mm x 58mm 700grams (1.54lbs) AWG22 (UL1015, 105°C) X 190mm



\*Example given. Customer determined attributes are available. Patented and patents pending



Contact technical sales for additional information regarding life expectancy and operating conditions. All the information in this datasheet is supplied in good faith. This information is given without obligation or liability.



Arbel Agencies LTD.

+972(0)48736969 🛇

11 Ba'alei Hamelacha st. Qiryat Bialik P.O.B 1095, ZIP 2751311, ISRAEL info@arbel-ltd.com 🖂 +972(0)48730708 📠